

SKOKIE PUBLIC LIBRARY
FURNITURE SCHEDULE

ISSUED FOR BID 10.19.2023

Revision: 10/30/2023 ADDENDUM 1 (Revision shown in BLUE)

NOTES TO BIDDER:

1. Refer to Furniture Plans, Elevations, Specifications and Electrical Power and Data Plans, in conjunction with the Schedule. If there is any quantity or finish/color discrepancy, please notify Owner.
2. The awarded bidder shall submit shop drawings for all items under "Staff Work Desks" (tag S-#) and all tables with cutouts and grommets, for Architect approval prior to fabrication.
3. The specifications of the Staff work desks (tag S-#) is intended to provide a general guideline and it is not comprehensive as it does not include minor/ supporting components. Bidders shall provide all components as required to make a functioning furniture assembly matching the intention of the Furniture Specifications, Plans and Elevations, and Electrical Power and Data Plans.
4. Finish and colors are subject to change to an equivalent in the specified grade/ category.
5. Awarded bidder shall verify critical dimensions in field after installation of new walls.

BIDDER TO ENTER COST IN THIS COLUMN:									FOR LIBRARY'S USE ONLY	
Key	Furniture Type	Location	Mfr	Product	Dimensions	Finish / Color	Qty	Unit Cost	Total Cost for All Items	Total Cost for Herman Miller Items
STAFF WORK DESKS										
S-1A	Private Office East	337 Office	Herman Miller	Canvas Office Landscape Private Office - Work surfaces FT-S10/S21-24/30-L - Concave Corner Surface FTS21-30-42-L (Also acceptable as Extended Corner Surface if possible under Specials) - At front and side desk: (1) surface attached pedestal Tu Storage LW140-28-BBF-SR-KA-2F, Post support legs FV689.P and Open shared support legs FV2A2-F-S as required - At back desk: (4) Post support legs FV689.P at ends of desk, Open shared support legs FV2A2-F-S as required - keyed alike in each office - Wall-mount fabric tackboard FV990C1-23A-60-R - Stiffener FV696 as required - (1) cutout and grommet from grommet kit FV982 - Cable troughs FT199 - Refer to plan for M-1 lateral file cabinet quantity and location under back desk. Provide clearance at back desk as required. - Refer to Plan for M-9C modesty panel location. Provide clearance as required for installation.	Overall dim: 8'-6" x 11'-6" Front desk: 8'-6" w x 2'-6" d x 29"h Back desk: 11'-6" w x 2'-0" d x 29"h	Top: laminate white 91 Legs: white 91 Tackboard Fabric: Category 1	1	\$0.00	\$0.00	\$0.00
S-1B	Private Office East	342, 343 Offices	Herman Miller	Canvas Office Landscape Private Office - Work surfaces FT-S10/S21-24/30-L - Concave Corner Surface FTS21-30-42-L (Also acceptable as Extended Corner Surface if possible under Specials) - At front and side desk: (1) surface attached pedestal Tu Storage LW140-28-BBF-SR-KA-2F, Post support legs FV689.P and Open shared support legs FV2A2-F-S as required - At back desk: (4) Post support legs FV689.P at ends of desk, Open shared support legs FV2A2-F-S as required - keyed alike in each office - (3) Wall strips FT191, 57"h or as required - Provide fasteners for drywall application as required - (2) Fabric Back Panel FV930WMC1-23A-30-R - (2) B-style shelf FT422-07-30 - Cast LED light FV617-4N, to be plugged in outlet under desktop. Wire to be installed concealed. - Stiffener FV696 as required - (1) cutout and grommet from grommet kit FV982 - (1) Logic Mini Y1414L06G & (1) Mini Grommet Y14121 - Cable troughs FT199 - Refer to plan for M-1 lateral file cabinet quantity and location under back desk. Provide clearance at back desk as required.	Overall dim: 8'-6" x 11'-6" Front desk: 8'-6" w x 2'-6" d x 29"h Back desk: 11'-6" w x 2'-0" d x 29"h	Top: laminate white 91 Legs: white 91 Tackboard Fabric: Category 1	2	\$0.00	\$0.00	\$0.00
S-1C	Private Office East	351, 352 Offices	Herman Miller	Canvas Office Landscape Private Office - Work surfaces FT-S10/S21-24/30-L - Concave Corner Surface FTS21-30-42-L (Also acceptable as Extended Corner Surface if possible under Specials) - At front and side desk: (1) surface attached pedestal Tu Storage LW140-28-BBF-SR-KA-2F, Post support legs FV689.P and Open shared support legs FV2A2-F-S as required - At back desk: (4) Post support legs FV689.P at ends of desk, Open shared support legs FV2A2-F-S as required - (3) Wall strips FT191, 57"h or as required - Provide fasteners for drywall application as required - (2) Fabric Back Panel FV930WMC1-23A-30-R - (1) B-style shelf FT422-07-30 - (1) B-style flipper door unit FT420-30-P-L-KA. Provide back panel as required. - Cast LED light FV617-4N, to be plugged in outlet under desktop. Wire to be installed concealed. - Stiffener FV696 as required - (1) cutout and grommet from grommet kit FV982 - (1) Logic Mini Y1414L06G & (1) Mini Grommet Y14121 - Cable troughs FT199 - Refer to plan for M-1 lateral file cabinet quantity and location under back desk. Provide clearance at back desk as required. - Refer to Plan for M-9C modesty panel location. Provide clearance as required for installation.	Overall dim: 8'-6" x 11'-6" Front desk: 8'-6" w x 2'-6" d x 29"h Back desk: 11'-6" w x 2'-0" d x 29"h	Top: laminate white 91 Legs: laminate white 91 Tackboard Fabric: Category 1	2	\$0.00	\$0.00	\$0.00
S-1D	Private Office East	363 Office	Herman Miller	Canvas Office Landscape Private Office - Work surfaces FT-S10/S21-24/30-L - Concave Corner Surface FTS21-30-42-L (Also acceptable as Extended Corner Surface if possible under Specials) - At front and side desk: (1) surface attached pedestal Tu Storage LW140-28-BBF-SR-KA-2F, Post support legs FV689.P and Open shared support leg FV2A2-F-S as required - At back desk: (1) surface attached pedestal Tu Storage LW140-24-BBF-SR-KA-2F, (2) Post support legs FV689.P, Open shared support legs FV2A2-F-S as required - keyed alike in each office - (3) Wall strips FT191, 57"h or as required - Provide fasteners for drywall application as required - (2) Fabric Back Panel FV930WMC1-23A-30-R - (1) B-style flipper door unit FT420-30-P-L-KA. Provide back panel as required. - Cast LED light FV617-2N, to be plugged in outlet under desktop. Wire to be installed concealed. - Stiffener FV696 as required - (1) cutout and grommet from grommet kit FV982 - (1) Logic Mini Y1414L06G & (1) Mini Grommet Y14121 - Cable troughs FT199 - Refer to plan for M-1 lateral file cabinet quantity and location under back desk. Provide clearance at back desk as required.	Overall dim: 8'-6" x 11'-6" Front desk: 8'-6" w x 2'-6" d x 29"h Back desk: 11'-6" w x 2'-0" d x 29"h	Top: laminate white 91 Legs: white 91 Tackboard Fabric: Category 1	1	\$0.00	\$0.00	\$0.00
S-1E	Private Office East	364, 365 Offices	Herman Miller	Canvas Office Landscape Private Office - Work surface FT-S10/S21-24/30-L - Concave Corner Surface FTS21-30-42-L (Also acceptable as Extended Corner Surface if possible under Specials) - At front and side desk: (1) surface attached pedestal Tu Storage LW140-28-BBF-SR-KA-2F, Post support legs FV689.P and Open shared support leg FV2A2-F-S as required - At back desk: (1) surface attached pedestal Tu Storage LW140-24-BBF-SR-KA-2F, (2) Post support legs FV689.P, Open shared support legs FV2A2-F-S as required - keyed alike in each office - (3) Wall strips FT191, 57"h or as required - Provide fasteners for drywall application as required - (2) Fabric Back Panel FV930WMC1-23A-30-R - (1) B-style shelf FT422-07-30 - Cast LED light FV617-2N, to be plugged in outlet under desktop. Wire to be installed concealed. - Stiffener FV696 as required - (1) cutout and grommet from grommet kit FV982 - Cable troughs FT199 - Refer to plan for M-1 lateral file cabinet quantity and location under back desk. Provide clearance at back desk as required.	Overall dim: 8'-6" x 11'-6" Front desk: 8'-6" w x 2'-6" d x 29"h Back desk: 11'-6" w x 2'-0" d x 29"h	Top: laminate white 91 Legs: white 91 Tackboard Fabric: Category 1	2	\$0.00	\$0.00	\$0.00
S-1F	Private Office East	370 Office	Herman Miller	Canvas Office Landscape Private Office - Work surfaces FT-S10/S21-24/30-L - Concave Corner Surface FTS21-30-42-L (Also acceptable as Extended Corner Surface if possible under Specials) - At front and side desk: (1) surface attached pedestal Tu Storage LW140-28-BBF-SR-KA-2F, Post support legs FV689.P and Open shared support leg FV2A2-F-S as required - At back desk: (1) surface attached pedestal Tu Storage LW140-24-BBF-SR-KA-2F, (2) Post support legs FV689.P, Open shared support legs FV2A2-F-S as required - keyed alike in each office - Wall-mount fabric tackboard FV990C1-23A-60-R - Stiffener FV696 as required - (1) cutout and grommet from grommet kit FV982 - (1) Logic Mini Y1414L06G & (1) Mini Grommet Y14121 - Cable troughs FT199 - Refer to plan for M-1 lateral file cabinet quantity and location under back desk. Provide clearance at back desk as required. - Refer to Plan for M-9C modesty panel location. Provide clearance as required for installation.	Overall dim: 8'-6" x 11'-6" Front desk: 8'-6" w x 2'-6" d x 29"h Back desk: 11'-6" w x 2'-0" d x 29"h	Top: laminate white 91 Legs: laminate white 91 Tackboard Fabric: Category 1	1	\$0.00	\$0.00	\$0.00

S-1G	Private Office East	371 Office	Herman Miller	Canvas Office Landscape Private Office - Work surface FT-S10-S21-24/30-L - Concave Corner Surface FTS21-30-42-L (Also acceptable as Extended Corner Surface if possible under Specials) - At front and side desk: (1) surface attached pedestal Tu Storage LW140-28-BBF-SR-KA-2F, Post support legs FV689.P and Open shared support leg FV2A2-F-S as required - At back desk: (1) surface attached pedestal Tu Storage LW140-24-BBF-SR-KA-2F, (2) Post support legs FV689.P, Open shared support legs FV2A2-F-S as required - keyed alike in each office - Stiffener FV696 as required - (1) cutout and grommet from grommet kit FV982 - (1) Logic Mini Y1414L06G & (1) Mini Grommet Y14121 - Cable troughs FT199 - Refer to plan for M-1 lateral file cabinet quantity and location under back desk. Provide clearance at back desk as required.	Overall dim: 8'-6" x 11'-6" Front desk: 8'-6" w x 2'-6" d x 29"h Back desk: 11'-6" w x 2'-0" d x 29"h	Top: laminate white 91 Legs: white 91 Tackboard Fabric: Category 1	1	\$0.00	\$0.00	\$0.00
S-2A	Private Office North	Office 329	Herman Miller	Canvas Office Landscape Private Office - Front work surface FT-S10-30-66-L - Back work surface FT-S10-24-102-L - At front desk: (1) surface attached pedestal Tu Storage LW140-28-BBF-SR-KA-2F, (2) Post support leg FV689.P - At back desk: (4) Post support leg FV689.P, (1) Closed shared support leg FV2E2.S-2A - keyed alike in each office - (1) cutout and grommet from grommet kit FV982 - (1) Logic Mini Y1414L06G & (1) Mini Grommet Y14121 - Cable troughs FT199 - Stiffener FV696 as required - Refer to plan for M-1 lateral file cabinet quantity and location under back desk. Provide clearance at back desk as required. - Refer to Plan for M-9# modesty panel. Provide clearance as required for installation.	front desk: 5'-6" x 2'-6" x 29"h back desk: 8'-6" x 2'-0" x 29"h	Top: laminate white 91 Legs: white 91	1	\$0.00	\$0.00	\$0.00
S-2B	Private Office North	Office 330	Herman Miller	Canvas Office Landscape Private Office - Front work surface FT-S10-30-72-L - Back work surface FT-S10-24-114-L - At front desk: (1) surface attached pedestal Tu Storage LW140-28-BBF-SR-KA-2F, (2) Post support leg FV689.P - At back desk: (4) Post support leg FV689.P, (1) Closed shared support leg FV2E2.S-2A - keyed alike in each office - (1) cutout and grommet from grommet kit FV982 - (1) Logic Mini Y1414L06G & (1) Mini Grommet Y14121 - Cable troughs FT199 - Stiffener FV696 as required - Refer to plan for M-1 lateral file cabinet quantity and location under back desk. Provide clearance at back desk as required. - Refer to Plan for M-9# modesty panel. Provide clearance as required for installation.	front desk: 6'-0" x 2'-6" x 29"h back desk: 9'-6" x 2'-0" x 29"h	Top: laminate white 91 Legs: white 91	1	\$0.00	\$0.00	\$0.00
S-2C	Private Office North & South	Office 331, 332, 334, 376	Herman Miller	Canvas Office Landscape Private Office - Front work surface FT-S10-30-72-L - Back work surface FT-S10-24-114-L - At front desk: (1) surface attached pedestal Tu Storage LW140-28-BBF-SR-KA-2F, (2) Post support leg FV689.P - At back desk: (4) Post support leg FV689.P, (1) Closed shared support leg FV2E2.S-2A - keyed alike in each office - (1) cutout and grommet from grommet kit FV982 - (1) Logic Mini Y1414L06G & (1) Mini Grommet Y14121 - Cable troughs FT199 - Stiffener FV696 as required - Refer to plan for M-1 lateral file cabinet quantity and location under back desk. Provide clearance at back desk as required. - Refer to Plan for M-9# modesty panel. Provide clearance as required for installation.	front desk: 6'-0" x 2'-6" x 29"h back desk: 9'-6" x 2'-0" x 29"h	Top: laminate white 91 Legs: white 91	4	\$0.00	\$0.00	\$0.00
S-2D	Private Office North	Office 333	Herman Miller	Canvas Office Landscape Private Office - Front work surface FT-S10-30-72-L - Back work surface FT-S10-24-114-L - At front desk: (4) Post support leg FV689.P - At back desk: (4) Post support leg FV689.P, (1) Closed shared support leg FV2E2.S-2A - keyed alike in each office - (1) cutout and grommet from grommet kit FV982 - (1) Logic Mini Y1414L06G & (1) Mini Grommet Y14121 - Cable troughs FT199 - Stiffener FV696 as required - Refer to plan for M-1 lateral file cabinet quantity and location under back desk. Provide clearance at back desk as required. - Refer to Plan for M-9# modesty panel. Provide clearance as required for installation.	front desk: 6'-0" x 2'-6" x 29"h back desk: 9'-6" x 2'-0" x 29"h	Top: laminate white 91 Legs: white 91	1	\$0.00	\$0.00	\$0.00
S-3	Private Office	353 Archive	Herman Miller	Canvas Office Landscape Private Office - Work surfaces FT-S10-36-66-L, FT-S10-36-72-L - (4) Post support leg FV689.P, at ends of desk - (1) Open shared support leg FV2A2-F-S - (1) Post leg support FV689.P, at desk corner - (2) cutout and grommet from grommet kit FV982 - Stiffener FV696 as required - Cable troughs FT199 - Wall-mount fabric tackboard FV990C1-24A-66-R	main desk: 5'-6" x 3'-0" x 29"h side desk: 6'-0" x 3'-0" x 29"h	Top: laminate white 91 Legs: white 91 Tackboard fabric: Category 1	1	\$0.00	\$0.00	\$0.00
S-4	Private Office	339 Office	Herman Miller	Canvas Office Landscape Private Office - (4) Wall strips FT191, 57" or as required - Provide fasteners for drywall application as required - Post support legs FV689.P, as required - Open shared support legs FV2A2-F-S as required - (3) Fabric Back Panel FV930WMC1-23A-36-R - (3) B-style shelf FT422-07-36 - Cast LED light FV617-4N, to be plugged in outlet under desktop. Wire to be installed concealed. - Stiffener FV696 as required - (1) cutout and grommet from grommet kit FV982 - Cable trough FT199	front desk: 8'-10" x 2'-6" x 29"h back desk and overhead cab: 9'-0" x 2'-0"	Top: laminate white 91 Legs: white 91 Tackboard fabric: Category 1	1	\$0.00	\$0.00	\$0.00
S-5	Wall-based Cubicle Cluster for (4)	341 CME Office	Herman Miller	Canvas Office Landscape Wall - See Plans and Elevations for configuration with the following components: - Frame FT110-53-N, with Thin Profile Stacking Window FT187-11 - Provide fabric tiles, covers, caps, ends, wall start, filler, brackets, connectors, adapters and fasteners as required. - Acoustical Insert, upper zone FT189-U-53 - Work Surface FTS10-24/30-L - (4) surface attached pedestal Tu Storage LW140-28-BBF-SR-KA-2F - (4) surface attached pedestal Tu Storage LW140-24-BBF-SR-KA-2F - Surface Cantilever FT290 for typical supports - Wall strips FT191, 57" or as required - Provide fasteners for drywall application as required - Fabric Back Panels FV930WMC1, custom height 20" and 15.5", as shown on Elevations - (8) B-style shelf FT422-07-30 - (4) B-style flipper door unit FT420-24-P-L-KA. Provide back panel as required. - (4) Cast LED light FV617-4N, to be plugged in outlet under desktop. Wire to be installed concealed. - Stiffener FV696 as required - (4) cutout and grommet from grommet kit FV982 - (4) Logic Mini Y1414L06G & (4) Mini Grommet Y14121 - Cable troughs FT199 - keyed alike in each cubicle	At each typ. cubicle: overall: 7'-6"w x 7'-0"d front desk: 7'-6"w x 2'-6" (one cubicle has 3'-6"w x 2'-6" desk) side desk: 4'-6" w x 2'-0" wall: 64"h	Top: laminate white 91 Paint finish: white 91 Wall frame finish: MS Metallic silver Tile/tackboard fabric: Category 1	1	\$0.00	\$0.00	\$0.00
S-6	Wall-based Cubicle Cluster for (3)	349 Youth Office	Herman Miller	Canvas Office Landscape Wall - See Plans and Elevations for configuration with the following components: - Frame FT110-53-N, with Thin Profile Stacking Window FT187-11 - Provide fabric tiles, covers, caps, ends, wall start, filler, brackets, connectors, adapters and fasteners as required. - Acoustical Insert, upper zone FT189-U-53 - Work Surfaces FTS10-24/30-L - (3) surface attached pedestal Tu Storage LW140-28-BBF-SR-KA-2F - (1) surface attached pedestal Tu Storage LW140-24-BBF-SR-KA-2F - (4) lateral file Tu Storage LW200-30-2-KA-2R. Provide counterweight as required. - Surface Cantilever FT290 for typical supports - Wall strips FT191, 57" or as required - Provide fasteners for drywall application as required - Fabric Back Panels FV930WMC1, custom height 20" and 15.5", as shown on Elevations - (1) B-style shelf FT422-07-24, (1) B-style shelf FT422-07-30, (2) B-style shelf FT422-07-42 - (2) B-style flipper door unit FT420-30-P-L-KA, (2) B-style flipper door unit FT420-42-P-L-KA. Provide back panel as required. - (1) Cast LED light FV617-4N, to be plugged in outlet under desktop. Wire to be installed concealed. - (2) Cast LED light FV617-5N, to be plugged in outlet under desktop. Wire to be installed concealed. - Stiffener FV696 as required - (4) cutout and grommet from grommet kit FV982 - (4) Logic Mini Y1414L06G & (4) Mini Grommet Y14121 - Cable troughs FT199 - keyed alike in each cubicle	wall: 64"h At (2) cubicles: overall: 7'-6"w x 7'-0"d front desk: 7'-6"w x 2'-6" d side desk: 4'-6" w x 2'-0" d At (1) cubicle: overall: 7'-6" w x 9'-6" d front desk: 7'-6" w x 2'-6" d side desk: 5'-0" w x 2'-0" d back desk: 7'-6" w x 2'-0" d	Top: laminate white 91 Paint finish: white 91 Wall frame finish: MS Metallic silver Tile/tackboard fabric: Category 1	1	\$0.00	\$0.00	\$0.00

S-7	Wall-based Cubicle Cluster for (4)	349 Youth Office	Herman Miller	<p>Canvas Office Landscape Wall</p> <ul style="list-style-type: none"> - See Plans and Elevations for configuration with the following components: - Frame FT110-53-N, with Thin Profile Stacking Window FT187-11 - Provide covers, brackets and connectors as required. - Acoustical Insert, upper zone FT189-U-53 - Work Surfaces FTS10-24/30-L - (4) surface attached pedestal Tu Storage LW140-28-BBF-SR-KA-2F - (4) lateral file Tu Storage LW200-30-2-KA-2R. Provide counterweight as required. - Surface Cantilever FT290 for typical supports - Wall strips FT191, 57"h or as required - Provide fasteners for drywall application as required - Fabric Back Panels FV930WMC1, custom height 20" and 15.5", as shown on Elevations - (4) B-style shelf FT422-07-42 - (4) B-style flipper door unit FT420-42-P-L-KA. Provide back panel as required. - (4) Cast LED light FV617-5N, to be plugged in outlet under desktop. Wire to be installed concealed. - Stiffener FV696 as required - (4) cutout and grommet from grommet kit FV982 - (4) Logic Mini Y1414L06G & (4) Mini Grommet Y14121 - (4) Cable troughs FT199 - keyed alike in each cubicle 	wall: 64"h At each typ. cubicles: overall: 7'-6"w x 7'-0"d front desk: 7'-8"w x 2'-6"d side desk: 4'-6"w x 2'-0"d	<p>Top: laminate white 91</p> <p>Paint finish: white 91</p> <p>Wall frame finish: MS Metallic silver</p> <p>Tile/tackboard fabric: Category 1</p>	1	\$0.00	\$0.00	\$0.00
S-8	Freestanding Cubicle Cluster for (8)	328 LETS Office	Herman Miller	<p>Canvas Office Landscape Wall</p> <ul style="list-style-type: none"> - See Plans and Elevations for configuration with the following components: - Frame FT110-53-N, with Thin Profile Stacking Window FT187-11, and Stacking Frame FT111-11-JL at walls behind overhead storage. - Provide fabric tiles, covers, caps, ends, wall start, filler, brackets, connectors, adapters and fasteners as required. - Acoustical Insert, upper zone FT189-U-53 - Work Surfaces FTS10-24/30-L - At front desk: (8) surface attached pedestal Tu Storage LW140-28-BBF-SR-KA-2F - At back desk: (8) surface attached pedestal Tu Storage LW140-24-BBF-SR-KA-2F - Surface Cantilever FT290 for typical supports - Provide fasteners for drywall application as required - Fabric Back Panels FV930WMC1, custom height 20" and 15.5", as shown on Elevations - (16) B-style flipper door unit FT420-42-P-L-KA. Provide back panel as required. - (8) Cast LED light FV617-5N, to be plugged in outlet under desktop. Wire to be installed concealed. - Stiffener FV696 as required - (8) cutout and grommet from grommet kit FV982 - (8) Cable troughs FT199 - keyed alike in each cubicle - Refer to Electrical Power and Data Plans for power feed information. Provide supporting components as required for Owner's Electrician to install electrical power and data outlets. Components include but not limited to Power Entries, Harnesses, Jumpers, Cable Trays and Extenders. 	wall: 64"h At each typ. cubicles: overall: 7'-6"w x 7'-0"d front desk: 7'-8"w x 2'-6"d side desk: 4'-6"w x 2'-0"d	<p>Top: laminate white 91</p> <p>Paint finish: white 91</p> <p>Wall frame finish: MS Metallic silver</p> <p>Tile/tackboard fabric: Category 1</p>	1	\$0.00	\$0.00	\$0.00
S-9	Freestanding Cubicle Cluster for (3)	362 Access Office	Herman Miller	<p>Canvas Office Landscape Wall</p> <ul style="list-style-type: none"> - See Plans and Elevations for configuration with the following components: - Frame FT110-53-N, with Thin Profile Stacking Window FT187-11, and Stacking Frame FT111-11-JL at walls behind overhead storage. - Provide fabric tiles, covers, caps, ends, wall start, filler, brackets, connectors, adapters and fasteners as required. - Acoustical Insert, upper zone FT189-U-53 - Work Surfaces FTS10-30-L - Concave Corner Surface FTS21-30-42-L (Also acceptable as Extended Corner Surface if possible under Specials) - (6) surface attached pedestal Tu Storage LW140-28-BBF-SR-KA-2F - Surface Cantilever FT290 for typical supports - Provide fasteners for drywall application as required - (6) B-style flipper door unit FT420-30-P-L-KA. Provide back panel as required. - (3) B-style flipper door unit FT420-42-P-L-KA. Provide back panel as required. - (3) Cast LED light FV617-4N, to be plugged in outlet under desktop. Wire to be installed concealed. - Stiffener FV696 as required - (3) cutout and grommet from grommet kit FV982 - (3) Cable troughs FT199 - keyed alike in each cubicle - Refer to Electrical Power and Data Plans for power feed information. Provide supporting components as required for Owner's Electrician to install electrical power and data outlets. Components include but not limited to Power Entries, Harnesses, Jumpers, Cable Trays and Extenders. 	wall: 64"h At each typ. cubicle: overall: 8'-6"w x 8'-6"d x 2'-6"d	<p>Top: laminate white 91</p> <p>Paint finish: white 91</p> <p>Wall frame finish: MS Metallic silver</p> <p>Tile/tackboard fabric: Category 1</p>	1	\$0.00	\$0.00	\$0.00
S-10	Freestanding Cubicle Cluster for (2)	362 Access Office	Herman Miller	<p>Canvas Office Landscape Wall</p> <ul style="list-style-type: none"> - See Plans and Elevations for configuration with the following components: - Frame FT110-53-N, with Thin Profile Stacking Window FT187-11, and Stacking Frame FT111-11-JL at walls behind overhead storage. - Provide fabric tiles, covers, caps, ends, wall start, filler, brackets, connectors, adapters and fasteners as required. - Acoustical Insert, upper zone FT189-U-53 - Work Surfaces FTS10-30-L - Concave Corner Surface FTS21-30-42-L (Also acceptable as Extended Corner Surface if possible under Specials) - (4) surface attached pedestal Tu Storage LW140-28-BBF-SR-KA-2F - Surface Cantilever FT290 for typical supports - Provide fasteners for drywall application as required - (4) B-style flipper door unit FT420-30-P-L-KA. Provide back panel as required. - (2) B-style flipper door unit FT420-42-P-L-KA. Provide back panel as required. - (2) Cast LED light FV617-4N, to be plugged in outlet under desktop. Wire to be installed concealed. - Stiffener FV696 as required - (2) cutout and grommet from grommet kit FV982 - (2) Cable troughs FT199 - keyed alike in each cubicle - Refer to Electrical Power and Data Plans for power feed information. Provide supporting components as required for Owner's Electrician to install electrical power and data outlets. Components include but not limited to Power Entries, Harnesses, Jumpers, Cable Trays and Extenders. 	wall: 64"h At each typ. cubicle: overall: 8'-6"w x 8'-6"d x 2'-6"d	<p>Top: laminate white 91</p> <p>Paint finish: white 91</p> <p>Wall frame finish: MS Metallic silver</p> <p>Tile/tackboard fabric: Category 1</p>	1	\$0.00	\$0.00	\$0.00
S-11	Freestanding Cubicles by wall for (4)	362 Access Office	Herman Miller	<p>Canvas Office Landscape Wall</p> <ul style="list-style-type: none"> - See Plans and Elevations for configuration with the following components: - Frame FT110-53-N, with Thin Profile Stacking Window FT187-11, and Stacking Frame FT111-11-JL at walls behind overhead storage. - Provide fabric tiles, covers, caps, ends, wall start, filler, brackets, connectors, adapters and fasteners as required. - Acoustical Insert, upper zone FT189-U-53 - Work Surfaces FTS10-30-L - Concave Corner Surface FTS21-30-42-L (Also acceptable as Extended Corner Surface if possible under Specials) - (8) surface attached pedestal Tu Storage LW140-28-BBF-SR-KA-2F - Surface Cantilever FT290 for typical supports - Provide fasteners for drywall application as required - (8) B-style shelf FT422-07-30 - (4) Cast LED light FV617-4N, to be plugged in outlet under desktop. Wire to be installed concealed. - Stiffener FV696 as required - (4) cutout and grommet from grommet kit FV982 - (2) Logic Mini Y1414L06G & (2) Mini Grommet Y14121, at desks by drywall - (4) Cable troughs FT199 - keyed alike in each cubicle - Refer to Electrical Power and Data Plans for power feed information. Provide supporting components as required for Owner's Electrician to install electrical power and data outlets. Components include but not limited to Power Entries, Harnesses, Jumpers, Cable Trays and Extenders. 	wall: 64"h At each typ. cubicle: overall: 8'-6"w x 8'-6"d x 2'-6"d	<p>Top: laminate white 91</p> <p>Paint finish: MS Metallic silver</p> <p>Tile/tackboard fabric: Category 1</p>	1	\$0.00	\$0.00	\$0.00
S-12	Wall-based Cubicles by window for (2)	362 Access Office	Herman Miller	<p>Canvas Office Landscape Wall</p> <ul style="list-style-type: none"> - See Plans and Elevations for configuration with the following components: - Frame FT110-53-N, with Thin Profile Stacking Window FT187-11 - Provide fabric tiles, covers, caps, ends, wall start, filler, brackets, connectors, adapters and fasteners as required. - Acoustical Insert, upper zone FT189-U-53 - Work Surfaces FTS10-30-L - Concave Corner Surface FTS21-30-42-L (Also acceptable as Extended Corner Surface if possible under Specials) - (4) surface attached pedestal Tu Storage LW140-28-BBF-SR-KA-2F - Surface Cantilever FT290 for typical supports - Post support leg FV689.P, and Open shared support legs FV2A2-F-S as required for freestanding desk - Wall strips FT191, 57"h or as required - Provide fasteners for drywall application as required - Fabric Back Panels FV930WMC1, custom height 20", as shown on Elevations - (4) B-style flipper door unit FT420-42-P-L-KA. Provide back panel as required. - (2) Cast LED light FV617-5N, to be plugged in outlet under desktop. Wire to be installed concealed. - Stiffener FV696 as required - (2) cutout and grommet from grommet kit FV982 - (2) Logic Mini Y1414L06G & (2) Mini Grommet Y14121 - (2) Cable troughs FT199 - keyed alike in each cubicle 	wall: 64"h At each typ. cubicle: overall: 9'-0"w x 7'-0"d x 2'-6"d	<p>Top: laminate white 91</p> <p>Paint finish: white 91</p> <p>Wall frame finish: MS Metallic silver</p> <p>Tile/tackboard fabric: Category 1</p>	1	\$0.00	\$0.00	\$0.00

S-13	Freestanding Cubicles by corner window for (2)	362 Access Office	Herman Miller	Canvas Office Landscape Wall - See Plans and Elevations for configuration with the following components: - Frame FT110-53-N, with Thin Profile Stacking Window FT187-11, and Stacking Frame FT111-11-JL at walls behind overhead storage. - Provide fabric tiles, covers, caps, ends, wall start, filler, brackets, connectors, adapters and fasteners as required. - Acoustical Insert, upper zone FT189-U-53 - Work Surfaces FTS10-30-L - Concave Corner Surface FTS21-30-42-L (Also acceptable as Extended Corner Surface if possible under Specials) - (4) surface attached pedestal Tu Storage LW140-28-BBF-SR-KA-2F - Surface Cantilever FT290 for typical supports - Post support leg FV689.P, and Open shared support legs FV2A2-F-S as required for freestanding desk - (4) B-style flipper door unit FT420-42-P-L-KA, Provide back panel as required. - (2) Cast LED light FV617-5N, to be plugged in outlet under desktop. Wire to be installed concealed. - Stiffener FV696 as required - (2) cutout and grommet from grommet kit FV982 - (2) Cable troughs FT199 - keyed alike in each cubicle - Refer to Electrical Power and Data Plans for power feed information. Provide supporting components as required for Owner's Electrician to install electrical power and data outlets. Components include but not limited to Power Entries, Harnesses, Jumpers, Cable Trays and Extenders.	wall: 64"h At each typ. cubicle: overall: 9'-0"w x 7'-0"d x 2'-6"d	Top: laminate white 91 Paint finish: white 91 Wall frame finish: MS Metallic silver Tile/lackboard fabric: Category 1	1	\$0.00	\$0.00	\$0.00
S-14	Acquisition Desk	361 Office	Herman Miller	Canvas Office Landscape - (3) Work surfaces FT-S10-30-72-L - (2) surface attached pedestal Tu Storage LW140-28-BBF-SR-KA-2F, at each end of the table - (1) freestanding pedestal Tu Storage LW100-24-BBF-SR-KA-2F, at central table - (2) shared open support leg FV2A2-2B-F-S - (3) cutout and grommet from grommet kit FV982 - (2) Cable troughs FT199 - (3) Logic Mini Y1414L06G & (3) Mini Grommet Y14121	18'-0"w x 2'-6"d x 29"h	Top: laminate white 91 Paint finish: white 91	1	\$0.00	\$0.00	\$0.00
S-15	Reception Desk	368 Reception	Herman Miller	Canvas Office Landscape Private Office - (1) Work surface FT-S10-30-72-L, (1) Work surface FT-S10-30-48-L - (2) Closed support legs FV2E2S-30-L - (1) Open shared support leg (12"d if possible) FV2A2-2A-F-S - (2) freestanding pedestal Tu Storage LW100-24-BBF-SR-KA-2F, at central table - (2) cutout and grommet from grommet kit FV982 - (1) Privacy Panel FV693-42-72-L, (1) Privacy Panel FV693-29-48-L - (1) Logic Mini Y1414L06G & (1) Mini Grommet Y14121 - Cable troughs FT199	10'-0"w x 2'-6"d	Laminate: white 91 Paint finish: white 91	1	\$0.00	\$0.00	\$0.00
S-16	Shared Private Office for (2)	377 Office	Herman Miller	Canvas Office Landscape Wall - See Plans and Elevations for configuration with the following components: - Frame FT110-53-N, with Stacking Frame FT111-11-JL - Provide fabric tiles, covers, caps, ends, wall start, filler, brackets, connectors, adapters and fasteners as required. - Acoustical Insert, upper zone FT189-U-53 - Work Surfaces FTS10-24/30-L - Concave Corner Surfaces FTS21-30-42-L (Also acceptable as Extended Corner Surface if possible under Specials) - D-shaped Surface FTS36-63-L, with (2) Post support legs FV689.P - (3) surface attached pedestal Tu Storage LW140-28-BBF-SR-KA-2F - Surface Cantilever FT290 for typical supports at Frame Wall - Post support legs FV689.P, and Open shared support legs FV2A2-F-S as required at freestanding desk - (3) B-style flipper door unit FT420-30-P-L-KA, Provide back panel as required. - (1) Cast LED light FV617-4N, to be plugged in outlet under desktop. Wire to be installed concealed. - Stiffener FV696 as required - (2) cutout and grommet from grommet kit FV982 - (2) Cable troughs FT199 - (1) Wall-mount fabric tackboard FV990C1-2416A-60-R, at East cubicle - Provide fasteners for drywall application as required - keyed alike in each cubicle - Refer to plan for M-1 lateral file cabinet quantity and location under back desks. Provide clearance at back desk as required. - Refer to Electrical Power and Data Plans for power feed information. Provide supporting components as required for Owner's Electrician to install electrical power and data outlets. Components include but not limited to Power Entries, Harnesses, Jumpers, Cable Trays and Extenders.	wall: 64"h At each typ. cubicle: overall: 8'-6"w x 9'-2"d	Top: laminate white 91 Paint finish: white 91 Wall frame finish: MS Metallic silver Tile/lackboard fabric: Category 1	1	\$0.00	\$0.00	\$0.00
S-17	Private Office back desk	302 Office	Herman Miller	Canvas Office Landscape - Back desk: Work surfaces to make up 11'-6" length, FT-S10-24-78-L, FT-S10-24-60-L - Side desk: Work surface FT-S10-24-72-L - (5) Post support legs FV689.P - (1) shared open support leg FV2A2-2A-F-S - (1) cutout and grommet from grommet kit FV982 - Cable troughs FT199 - Stiffener as required. Note that clearance shall be provided for M-1 lateral file cabinet per Plan. - Provide clearance at back desk for (3) M-1 lateral cabinets - keyed alike	back desk: 11'-6" x 2'-0" x 29"h side desk: 6'-0" x 2'-0" x 29"h	Top: laminate white 91 Legs: laminate white 91	1	\$0.00	\$0.00	\$0.00
S-18	Shared Office for (2)	First Floor: 102 Safety Office	Herman Miller	Canvas Office Landscape - (2) Work surface FT-S10-30-54-L - (4) Post support legs FV689.P - (1) shared open support leg FV2A2-2B-F-S - (2) cutout and grommet from grommet kit FV982 - Cable trough FT199	9'-0" x 2'-6" x 29" h	Top: laminate white 91 Legs: laminate white 91	1	\$0.00	\$0.00	\$0.00
S-19	Private Office	First Floor: 152 Office	Herman Miller	Canvas Office Landscape - (2) Work surface FT-S10-24/30-L - (1) surface attached pedestal Tu Storage LW140-28-BBF-SR-KA-2F - (3) Post support legs FV689.P - (1) shared open support leg FV2A2-2B-F-S - (2) cutout and grommet from grommet kit FV982 - Cable trough FT199	side desk: 5'-0" x 2'-6" front desk: 5'-0" x 2'-0"	Top: laminate white 91 Legs: laminate white 91	1	\$0.00	\$0.00	\$0.00
TABLES										
T-1	Work table, side table	328 LETS Office, 362 Access Office	Herman Miller	Everywhere table DT1A-S-24-60-L-P-57 - 4 post leg - (1) cutout and grommet from grommet kit FV982	5'-0"w x 2'-0"d x 29"h	Top: laminate white 91 Leg: white 91	4	\$0.00	\$0.00	\$0.00
T-2	Work table	335, 336, 346, 350 Study, 328 LETS Office	Herman Miller	Everywhere table DT1A-S-24-66-L-P-57 - 4 post leg - (1) cutout and grommet from grommet kit FV982	5'-6"w x 2'-0"d x 29"h	Top: laminate white 91 Leg: white 91	5	\$0.00	\$0.00	\$0.00
T-3	Flip top table	367 Conference	KI	Pirouette nesting rectangular training Table with Activ8 PANR3060T-74P-VUU-MP-4EC - casters - modesty panel	2'-6" x 5'-0" x 29"h	Top: laminate Frosty White Edge color: Frosty White Legs: Chrome	1	\$0.00	\$0.00	\$0.00
T-4	Flip top table	367 Conference	KI	Pirouette nesting rectangular training Table with Activ8 PANR3072T-74P-VUU-MP-4EC - casters - modesty panel - provide a total of (2) Activ8 power infeed and (5) 77" long jumper cables for these tables	2'-6" x 6'-0" x 29"h	Top: laminate Frosty White Edge color: Frosty White Legs: Chrome	6	\$0.00	\$0.00	\$0.00
T-5	Meeting table	348 Meeting	Herman Miller	Layout Studio Project table - Project table GNTPA-48-96-FL-91-91 - Engage legs (2) GNLFN48-91 - intermediate leg GNLFSN - beams GNBR - double wire management tray GNWD - custom size cutouts and provide (2) Logic grommet with 3 simplex receptacles and 6' plug cord Y1425EA-06-91	4'-0" x 8'-0" x 29"h	Top: laminate white 91 Leg: white 91	1	\$0.00	\$0.00	\$0.00
T-6	Guitar pick table	302 Office	Herman Miller	Guitar pick table EXTT-T-29-060-N-C-L-91-91-91 - cutouts and provide (2) Logic grommet with 3 simplex receptacles and 6' plug cord Y1425EA-06-91 - umbilical riser GNWF-G	5'-0" x 4'-11" x 29" h	Top: laminate white 91 Leg: white	1	\$0.00	\$0.00	\$0.00
T-7	Occasional table	356 Cafe, 358 Break	Herman Miller	Everywhere Occasional Table - Specials 2'-0" diameter top	2'-0" dia.x 16"h	Top: laminate white 91 Leg: metallic silver column, polished aluminum base	3	\$0.00	\$0.00	\$0.00
T-8	Occasional table, square	338 Meeting	Herman Miller	Everywhere Occasional Table - square top	2'-0" x 2'-0" x 16"h	Top: laminate white 91 Leg: metallic silver column, polished aluminum base	1	\$0.00	\$0.00	\$0.00

T-9	Acquisition Work Table	361 Office	Herman Miller	Everywhere table DT1A-S-24-72-L-P - 4 post leg	2'-0" x 6'-0" x 29"h	Top: laminate white 91 Leg: white 91	3	\$0.00	\$0.00	\$0.00
T-10	Meeting table, large	369 Admin office	Herman Miller	Layout Studio table - (2) Project table GNTPA-48-60-FL-91-91 - Engage legs GNLFFEN48-91, as required - intermediate leg GNLFSN, as required - beams GNRB, as required - double wire management tray GNWD - custom size cutouts and provide (2) Logic grommet with 3 simplex receptacles and 6' plug cord Y1425EA-06-91	4'-0" x 10'-0" x 29"h	Top: laminate white 91 Leg: white 91	1	\$0.00	\$0.00	\$0.00
T-11	Work table, counter height	369 Admin office	Herman Miller	Meridian Storage table - (1) Meridian Storage Surround Top FSTL-180-36 - (2) Meridian Storage Surround End FSEL-37-36 - (1) Pair of Meridian Storage Surround Support Legs, square FSFS-37 - (2) Standard Pull Freestanding Lateral File 26-36-18-3N-NT-KA-B3-NO-9M - (4) Standard Pull Storage Case 46-36-18-38-NS2-KA-NT-B3 - Gang storage cabinets as required - Keyed alike for all storage cabinets	3'-0" x 15'-2 1/2" x 3'-2 3/4"h	Top and end panels: laminate white 91 Leg: white 91	1	\$0.00	\$0.00	\$0.00
T-12	Adjustable Height Table, 7'	Offices	Herman Miller	Renew rectangular table with C-foot DU6ACS3084LE-SUD-91-91-91-PSC-NNN - Height-Adjustable Vertical Cable Manager DU15SE-91 - (1) cutout and grommet from grommet kit FV982 - custom cutout to install (1) Logic Mini Y1414L06G & (1) Mini Grommet Y14121	2'-6" x 7'-0" x 27-46"h	Top: laminate white 91 Leg: white 91	4	\$0.00	\$0.00	\$0.00
T-13	Adjustable Height Table, 6' with modesty panel	375 Office	Herman Miller	Renew rectangular table with C-foot DU6ACS3072LE-SUD-91-91-91-PSC-NNN - Height-Adjustable Vertical Cable Manager DU15SE-91 - (1) cutout and grommet from grommet kit FV982 - custom cutout to install (1) Logic Mini Y1414L06G & (1) Mini Grommet Y14121 - modesty panel Y1113-72-N-L	2'-6" x 6'-0" x 27-46"h	Top and modesty panel: laminate white 91 Leg: white 91	1	\$0.00	\$0.00	\$0.00
T-14	South Private Office back desk	375 Office	Herman Miller	Canvas Office Landscape - Work surfaces to make up 9'-6" length, FT-S10-24-48-L, FT-S10-24-60-L - (4) Post support legs at ends FV689.P - (1) Closed shared support leg FV2E2-S-2A - Stiffener as required. Note that clearance shall be provided for M-1 lateral file cabinet per Plan.	2'-0" x 9'-6" x 29"h	Top: laminate white 91 Leg: white 91	1	\$0.00	\$0.00	\$0.00
T-15	Side table	327 IT office	Herman Miller	Everywhere table DT1A-S-30-126 69-P - 4 post leg - custom length, to be verified in field—with intermediate inset post leg support as required Note that intermediate support legs shall not be installed in front of full height window. Refer to Plan.	2'-6" x 5'-9" x 29"h	Top: laminate white 91 Leg: white 91	1	\$0.00	\$0.00	\$0.00
T-16	Work table	345 Film/Edit	Herman Miller	Everywhere table DT1A-S-30-96-P - 4 post leg - custom length, with centred intermediate inset post leg support as required - (2) cutouts and grommets from grommet kit FV982	2'-6" x 8'-0" x 29"h	Top: laminate white 91 Leg: white 91	1	\$0.00	\$0.00	\$0.00
T-17	Private Office back desk	325 Office, 326 Office	Herman Miller	Canvas Office Landscape - Work surfaces to make up 10'-10" length, FT-S10-24-84-L, FT-S10-24-46-L - (4) Post support legs at ends FV689.P - (1) shared open support leg FV2A2-2B-F-S - (2) cutout and grommet from grommet kit FV982 - Cable troughs FT199 - Stiffener as required. Note that clearance shall be provided for M-1 lateral file cabinet per Plan.	2'-0" x 10'-10" x 29"h	Top: laminate white 91 Leg: white 91	2	\$0.00	\$0.00	\$0.00
T-18	Shared Office back desk	327 IT Office	Herman Miller	Canvas Office Landscape - Work surfaces to make up 22'-4" length, (2) FT-S10-24-90-L, (1) FT-S10-24-88-L - (4) Post support legs at ends FV689.P - (2) shared open support legs FV2A2-2B-F-S - (2) cutout and grommet from grommet kit FV982 - (2) Cable troughs FT199 - Stiffener as required	2'-0" x 22'-4" x 29"h	Top: laminate white 91 Leg: white 91	1	\$0.00	\$0.00	\$0.00
T-19	Exterior table, square, pedestal style	3rd floor staff terrace	Fermob	Luxembourg pedestal table 4134 - no parasol hole	31.5" x 31.5" x 29"h	Standard Color TBD	3	\$0.00	\$0.00	
CHAIRS										
C-1	Meeting/work/side chair	342, 343, 351, 352, 363, 364, 365, 370, 371 Office	Vitra	HAL RE Tube Stackable	21 1/4" w x 19 1/4" d x 31" h, 17" h seat	Seat: Standard Color TBD Legs: standard chrome Glides: 30 basic dark	19	\$0.00	\$0.00	
C-2	Task chair w/ casters	369 Admin Office, 338 Meeting	Vitra	HAL RE Studio	18 1/2" w x 19 1/4" d x 29 1/4"-33 3/4" h, 14 3/4"-19 1/4" h seat	Seat: Standard Color TBD Base and casters: Black	12	\$0.00	\$0.00	
C-3	Counter Stool	369 Admin Office	Vitra	HAL RE Stool Medium	19 1/2" w x 19 1/4" d x 39 1/2" h, 25 1/2" h seat	Seat: Standard Color TBD Legs: standard chrome Glides: 30 basic dark	2	\$0.00	\$0.00	
C-4	Lounge chair	356 Cafe	Studio TK/	Beso Lounge chair with sled base ARBV-G-C6	26" w x 29" d x 33" h, 17" h seat	Upholstery: Ultrafabrics Promessa Camel Sled base: Chrome	4	\$0.00	\$0.00	
C-5	Sofa, 2-seater	338 Meeting	Dauphin	Reefs 2 seater sofa with arms RF0642 - wood legs	64" w x 26" d x 32.5" h	Upholstery: Maharam Lariat, Color TBD Legs: Natural oak	1	\$0.00	\$0.00	
C-6	Sofa, 3-seater	368 Reception, 354 Lounge, 338 meeting	Dauphin	Reefs 3 seater sofa with arms RF0643 - wood legs	92" w x 26" d x 32.5" h	Upholstery: Maharam Lariat, Color TBD Legs: Natural oak	4	\$0.00	\$0.00	
C-7	Lounge chair	358 Break	Allermuir	Open Lounge chair with headrest A641 - metal 4-star swivel base	30.75" w x 34" d x 41.5" h	Upholstery: Grade 6 Ultrafabrics Promessa Bronze Legs: Polished Aluminum	2	\$0.00	\$0.00	
C-8	Exterior chair, steel	3rd floor staff terrace	Fermob	Luxembourg side chair 4121 - steel tube frame and slats - stacks 10	49cm w x 57cm d x 49cm h seat	Standard Color TBD	12	\$0.00	\$0.00	
C-9	Stool	313 Women's Bathroom	Fermob	Luxembourg low table	16.5" w x 17" d x 16" h	Standard Color TBD	2	\$0.00	\$0.00	
C-10	Bench	308 Men's Bathroom	Fermob	Luxembourg bench	57" w x 17" d x 19" h	Standard Color TBD	1	\$0.00	\$0.00	
MISCELLANEOUS								\$0.00		
M-1	Lateral file cabinet	Throughout	Herman Miller	Tu metal W-pull lateral file cabinet, raised height LW200 - Provide counterweight as required - Install under tabletops, typ. Provide clearance under desks for installation.	3'-0" w x 19 3/8" d x 27 1/4" h	91 white	29	\$0.00	\$0.00	\$0.00
M-2	Freestanding pedestal cabinet	361 Office	Herman Miller	Tu metal W-pull pedestal cabinet LW100-24-BBF-SR-KA-1F	14 5/8" w x 24" d x 26 3/8" h	91 white	1	\$0.00	\$0.00	\$0.00
M-2A	Mobile pedestal cabinet	325, 326, 375 Office	Herman Miller	Tu metal W-pull Mobile pedestal cabinet LW110-20-BF-SR-KA-1-H1	14 5/8" w x 20" d x 21 3/8" h	91 white	3	\$0.00	\$0.00	\$0.00
M-3	Tall Cabinet with adjustable shelves and lockable doors	328 LETS Office	Herman Miller	Tu laminate storage with doors L2BC-60-42-24-D-3-U-L-02-91	3'-6" w x 2'-0" d x 5'-0" h	91 white	5	\$0.00	\$0.00	\$0.00

M-4	Tall Cabinet with adjustable shelves and lockable doors	345 Film/Edit	Herman Miller	Tu laminate storage with doors L2BC-60-24-24-D-3-U-L-02-91	2'-0"w x 2'-0"d x 5'-0"h	91 white	4	\$0.00	\$0.00	\$0.00
M-5	Tall filing cabinet, lockable	353 Archive	Herman Miller	Tu metal storage LW200-30-5-KA-CB	2'-6"w x 19 3/8"d x 65"h	91 white	2	\$0.00	\$0.00	\$0.00
M-6	Tall Cabinet with adjustable shelves and lockable doors	341 CME Office	Herman Miller	Tu laminate storage with doors L2BC-72-30-16-D-1-U-L-02-91	2'-6""w x 1'-4"d x 72"h	91 white	2	\$0.00	\$0.00	\$0.00
M-7	Tackboard	302, 325, 329 - 334, 375, 376 Office	Herman Miller	Canvas Office Landscape wall mount fabric Tackboard FV990-24A-30 - Installed at top of desktop on drywall	30" w x 24" h	Fabric: Cat 1	11	\$0.00	\$0.00	\$0.00
M-8	Pencil Tray		Herman Miller	Canvas Office Landscape Pencil Drawer Y5010	21 1/8" w x 16 1/4" d x 1 7/8" h	8Q Folkstone Grey	12	\$0.00	\$0.00	\$0.00
M-9A	Modesty Panel	332 Office	Herman Miller	Everywhere Modesty Panel Y1113-48-N-L - no cable trough	4'-0" w x 10 1/4" h	91 white	2	\$0.00	\$0.00	\$0.00
M-9B	Modesty Panel	332 Office, 302 Office	Herman Miller	Everywhere Modesty Panel Y1113-66-N-L - no cable trough - In 302 Office, panel shall be installed on existing table T03	5'-6" w x 10 1/4" h	91 white	2	\$0.00	\$0.00	\$0.00
M-9C	Modesty Panel	332 Office	Herman Miller	Everywhere Modesty Panel Y1113-78-N-L - no cable trough - custom length 6'-6"	6'-6" w x 10 1/4" h	91 white	5	\$0.00	\$0.00	\$0.00
M-10A	Mobile pinup wall	345 Film Edit	Vitra	Dancing wall - wood base on casters - (4) whiteboard panels	65" w x 19" d x 77 1/2" h	Base: Spruce Frame: Black	1	\$0.00	\$0.00	
M-10B	Mobile pinup wall for TV	369 Admin office	Vitra	Dancing wall for TV - wood base on casters - (4) whiteboard panels - provide TV mount, cable tray and power outlets	65" w x 19" d x 77 1/2" h	Base: Spruce Frame: Black	1	\$0.00	\$0.00	
M-11	wire shelving	361 Office	Nexel	Chrome, 4 Tier, Wire Shelving Model #: WB184744	72"W x 30"D x 74"H	Chrome	1	\$0.00	\$0.00	
M-12A	wire shelving	321 Storage in IT	Nexel	Chrome, 5 Tier, Wire Shelving 60"w Starter Unit and 60"w Add on Unit Model #: WBB2333120, Model #: WBB2332976	10'-0"l x 2'-0"d x 6'-2"h	Chrome	1	\$0.00	\$0.00	
M-12B	wire shelving	320 Corridor in IT	Nexel	Chrome, 5 Tier, Wire Shelving Starter Unit Model #: WB188310	4'-6"l x 2'-0"d x 6'-2"h	Chrome	1	\$0.00	\$0.00	
M-12C	wire shelving	320 Corridor in IT	Nexel	Chrome, 5 Tier, Wire Shelving 48"w Starter Unit and 48"w Add on Unit Model #: WBB2333307, Model #: WBB2332955	8'-0"l x 2'-0"d x 6'-2"h	Chrome	1	\$0.00	\$0.00	
M-13	Wire shelving under table	361 Office in Access	Regency	18" x 72" x 27" NSF Chrome 2-Shelf Kit - Install top shelf at midpoint of post	18" x 72" x 27"h	Chrome	2	\$0.00	\$0.00	
M-14	Flat file	353 Archive	Safco	5-Drawer steel flat file for 36"x48" documents 4998 - provide 6"h closed base 4999	53.5" w x 41.5" d x 22.5" h	White WHR	1	\$0.00	\$0.00	
M-15	Keyboard tray	Throughout	HAT Collective	KT-27 - Refer to Plan for locations	27" x 10"	Black	12	\$0.00	\$0.00	
M-16	Coat hooks	152 Office	Peter Pepper	3 hook coat hook 2043 - installed at 5'-0" aff	16" w x 3 3/4" d x 5" h	Aluminum	1	\$0.00	\$0.00	
						TOTAL			\$0.00	\$0.00